

DURACELL[®]

AUTOMOTIVE



TARIFA DURACELL & HYBRIDCELL

** DISTRIBUIDOR

Ref.	Ah 20h	A(EN) /CCA	Esq	Box	L	A	H	HH	Borne	Info	Fijac	uds. Capa	uds. Palé	* Kg ud.	PVP € Marzo2023	PVN € Marzo2023
DURACELL Extreme AGM																
Start-Stop con Recuperación de energía.																
DE60AGM	60	640	0	L2/H5	241	175	190	190	1	mG	B13	16	64	17,5	260,34	156,20
DE70AGM	70	720	0	L3/H6	278	175	190	190	1	mG	B13	16	64	21,0	287,63	172,58
DE80AGM	80	800	0	L4/H7	315	175	190	190	1	mG	B13	14	56	24,0	333,02	199,81
DE92AGM	92	850	0	L5/H8	354	175	190	190	1	mG	B13	12	48	27,0	345,55	207,32
DE105AGM	105	950	0	L6/H9	394	175	190	190	1	mG	B13	9	36	30,0	402,87	239,84
DURACELL Extreme EFB																
Sistema Start-Stop																
DE38EFB	38	400	0	35NS	187	137	204	226	0	mGGA	B01	36	108	10,9	137,36	82,41
DE55EFB	55	460	0	45NS	238	129	203	225	0	mGGA	B00	27	81	13,5	158,97	95,38
DE60EFB	60	560	0	L2/H5	241	175	190	190	1	mGGA	B13	18	72	16,5	186,03	111,61
DE65EFB	65	550	0	D23	233	173	203	225	1	mGGA	B00	20	60	17,5	213,23	127,93
DE70EFB	70	660	0	L3/H6	278	175	190	190	1	mGGA	B13	16	64	19,0	220,52	132,31
DE75HEFB	75	700	0	LB4/T7	278	175	190	190	1	mGGA	B13	14	56	19,4	215,86	129,51
DE75EFB	75	730	0	LB4/T7	315	175	175	175	1	mGGA	B13	14	56	19,4	252,28	151,36
DE80EFB	80	780	0	L4/H7	315	175	175	175	1	mG	B13	14	56	24,0	254,17	152,50
DURACELL Advanced PROfessional																
Tecnología Calcio-Calcio Doble Tapa (+30% potencia)																
DA63H	63	620	0	L2/H5	241	175	190	190	1	mGGA	B13	18	72	16,5	164,13	98,48
DA77H	77	700	0	L3/H6	278	175	190	190	1	mGGA	B13	16	64	19,0	197,40	118,44
DA100	100	820	0	L5/H8	354	175	190	190	1	mGGA	B13	12	48	24,5	244,05	146,43
DA110	110	900	0	L6/H9	394	175	190	190	1	mGGA	B13	9	36	28,0	285,56	171,33
DURACELL Advanced																
Tecnología Calcio-Calcio Doble Tapa (+30% potencia)																
DA40B	40	330	0	35NS	187	137	204	226	3	mGGA	B01	32	96	9,0	109,72	65,83
DA40	40	330	0	35NS	187	127	204	226	3	mGGA	B00	36	108	9,5	103,55	62,13
DA40L	40	330	1	35NS	187	127	204	226	3	mGGA	B00	36	108	9,5	103,55	62,13
DA42	42	390	0	L0/H3	175	175	190	190	1	GA	B13	24	96	10,5	106,40	64,68
DA44	44	420	0	LB1/T4	210	175	175	175	1	mGGA	B13	22	88	12,0	113,85	68,31
DA45	45	360	0	45NS	238	129	203	225	1+3	mGGA	B00	27	81	12,0	124,75	74,85
DA45L	45	390	1	45NS	238	129	203	225	1+3	mGGA	B00	27	81	12,0	121,39	72,83
DA50	50	450	0	L1/H4	210	175	190	190	1	mGGA	B13	22	88	12,5	122,05	73,23
DA60T	60	540	0	LB2/T5	241	175	175	175	1	mGGA	B13	18	72	15,5	143,09	86,31
DA60	60	510	0	D23	233	173	203	225	1	mGGA	B00	20	60	15,5	144,54	86,72
DA60L	60	510	1	D23	233	173	203	225	1	mGGA	B00	20	60	15,5	144,54	86,72
DA62H	62	550	0	L2/H5	241	175	190	190	1	mGGA	B13	18	72	15,5	146,89	88,13
DA70L	70	600	1	D26/MC	260	174	200	222	1	mGGA	B01	17	51	17,5	171,79	103,07
DA70	70	600	0	D26/MC	260	174	200	222	1	mGGA	B01	17	51	17,5	171,79	103,07
DA72	72	660	0	LB3/T6	278	175	175	175	1	mGGA	B13	16	64	17,5	168,94	101,36
DA74	74	680	0	L3/H6	278	175	190	190	1	mGGA	B13	16	64	18,0	175,52	105,31
DA80	80	700	0	LB4/T7	315	175	175	175	1	mGGA	B13	14	56	19,0	204,89	122,93
DA95	95	740	0	D31/56	303	173	203	225	1	mGGA	B01	14	42	21,5	231,08	138,65
DA95L	95	740	1	D31/56	303	173	203	225	1	mGGA	B01	14	42	21,5	231,08	138,56
DA95H	95	780	0	L5/H8	354	175	190	190	1	mGGA	B13	12	48	23,0	230,07	137,94
DURACELL Starter																
DS44	44	360	0	LB1/T4	210	175	175	175	1	mGGA	B13	22	88	11,5	110,85	66,50

DS45H	45	400	0	L1/H4	210	175	190	190	1	mGGA	B13	22	88	11,5	111,10	66,77
DS45	45	300	0	E2	218	135	203	225	1	-	B01	26	78	12,0	131,27	78,76
DS45L	45	300	1	E2	218	135	203	225	1	-	B01	26	78	13,0	131,27	78,76
DS55	55	450	0	LB2/T5	241	175	175	175	1	mGGA	B13	18	72	13,5	115,12	69,07
DS60	60	480	0	LB2/T5	241	175	175	175	1	mGGA	B13	18	72	14,5	132,73	79,63
DS62	62	510	0	L2/H5	241	175	190	190	1	mGGA	B13	18	72	15,0	137,64	82,58
DS70	70	640	0	LB3/T6	278	175	175	175	1	mGGA	B13	16	64	17,0	151,00	90,60
DS72	72	650	0	L3/H6	278	175	190	190	1	mGGA	B13	16	64	18,0	157,18	94,31
DS72L	72	650	1	L3/H6	278	175	190	190	1	mGGA	B01	16	64	18,0	173,80	119,61
DS88	88	680	0	LB5/T8	354	175	175	175	1	mGGA	B13	12	48	20,5	199,35	119,61
DS95	95	740	0	L5/H8	354	175	190	190	1	mGGA	B13	12	48	22,5	205,52	123,31
DURACELL PROfessional EFB			Vehículo Industrial EFB													
DP190EFB	190	1050	3	A	514	223	195	220	1	mGRZS	B00	7	21	46,0	464,11	278,47
DP240EFB	240	1200	3	B	517	273	212	240	1	mGRZS	B00	6	18	61,0	595,78	357,47
DURACELL PROfessional SHD			Vehículo Industrial SHD Profesional E4/V3 (especial 5ª rueda)													
DP145SHD	145	800	3	B	514	189	195	220	1	mGRZS	B00	8	24	37,0	362,61	217,56
DP180SHD	180	1000	3	B	514	223	195	220	1	mGRZS	B00	7	21	46,0	445,66	267,39
DP225SHD	225	1150	3	C	517	273	212	216	1	mGRZS	B00	6	18	61,0	560,72	336,43
DURACELL Professional			Vehículo Industrial HD													
DP110	110	800	0	Compac	344	172	214	230	1	mG	B00	12	36	27,5	282,49	169,49
DP110L	110	800	1	Compac	344	172	214	230	1	mG	B00	12	36	27,5	282,49	169,49
DP140	140	760	3	A	514	189	195	220	1	mG	B00	8	24	35,0	284,55	170,73
DP180	180	950	3	A	514	223	195	220	1	mG	B03	7	21	46,0	372,22	223,33
DP225	225	1050	3	C	517	273	212	240	1	mG	B00	6	18	59,0	465,09	279,05
DURACELL Leisure			CÍCLICA nivel 1 para Ocio, Solar, Náutica y Semi-Tracción													
DL72L	72	85	1	0	256	174	205	205	1	mGGA	B13	17	51	20,0	199,54	119,72
DL100L	100	110	0	L5/H8	354	175	190	190	1	mGGA	B13	12	48	24,0	221,22	132,73
DL115L	115	135	0	LOT7	330	171	222	230	1	mGGAR	B00	12	36	30,0	288,36	173,02
96351	180	195	3	B	514	223	195	220	1	mG	B00	7	21	47,5	459,04	275,43
96801	230	250	3	C	517	273	212	240	1	mG	B00	6	18	63,0	578,37	347,02
HYBRIDCELL			Tecnología Platinum Calcio-Calcio (+ciclos / +potencia)													
HC4409	44	360	0	LB1/T4	210	175	175	175	1	mGGA	B13	22	88	11,5	101,99	50,99
HC5003	44	390	0	L1/H4	210	175	175	190	1	mGGA	B13	22	88	13,5	117,95	58,97
HC5519	55	450	0	LB2/T5	241	175	175	175	1	mGGA	B13	18	72	13,5	120,86	60,43
HC6008	60	480	1	LB2/T5	241	175	175	175	1	mGGA	B13	18	72	13,5	167,61	83,80
HC6219	62	480	0	L2/H5	241	175	175	190	1	mGGA	B13	18	72	15,0	134,78	67,39
HC7044	70	600	0	LB3/T6	278	175	175	175	1	mGGA	B13	16	64	17,0	151,12	75,56
HC7212	72	640	0	L3/H6	278	175	190	190	1	mGGA	B13	16	64	18,0	153,99	76,99
HC7233	72	650	1	L3/H6	278	175	190	190	1	mGGA	B01	16	64	18,0	197,96	98,98
HC8014	80	660	0	LB4/T7	315	175	175	175	1	mGGA	B13	14	56	18,5	195,72	97,86
HC8820	88	680	0	LB5/T8	354	175	175	175	1	mGGA	B13	12	48	20,5	183,14	91,57
HC9533	95	720	0	L5/H8	354	175	190	190	1	mGGA	B13	12	48	22,5	211,34	105,67
HC9504	95	700	0	D31/56	303	173	203	225	1	mGGA	B00	14	42	21,5	225,53	112,76
HC9505	95	700	1	D31/56	303	173	203	225	1	mGGA	B00	14	42	21,5	219,61	109,80
HC11047	110	720	0	Compac	344	172	214	230	1	mG	B00	12	36	27,5	302,86	151,43
HC11048	110	720	1	Compac	344	172	214	230	1	mG	B00	12	36	27,5	297,00	148,50
HC14035	140	720	3	A	514	189	195	220	1	mG	B00	8	24	35,0	300,56	150,28
HC18032	180	900	3	B	514	223	195	220	1	mG	B00	7	21	44,0	367,19	183,59
HC22511	225	1050	3	C	517	273	212	240	1	mG	B00	6	18	59,0	465,79	232,89